

# Appendix D

## FB200AS Driver Installation

Version 1.0

**FIRMTECH Co., Ltd.**

B-606, Ssangyong IT Twin Tower, Sangdaewon-dong, 442-5

Jungwon-gu, Seongnam-si, Gyeonggi-do, Korea 462-120

Tel : +82-31-719-4812

Fax : +82-31-719-4834

[www.firmtech.co.kr](http://www.firmtech.co.kr)

## Revision History

<b>Date</b>	<b>Version</b>	<b>Item</b>
16-10-2009	1.0	Provision of draft

## List of Contents

<b>1 FB200AS Driver installation</b> .....	<b>4</b>
<b>2 FB200AS Driver installation checking</b> .....	<b>13</b>

## 1 FB200AS Driver installation


The following contents are explained under the assumption that the FB200AS is installed in Windows XP for the first time.

1. Power on after connection the FB200AS to USB of PC.




<Fig. 1-1>

2. Select "Yes, this time only" if the window of <Fig. 1-1> is appeared and click the Next.




<Fig. 1-2>

3. Select **"Install from a list or specific location (Advanced)"** if the window of <Fig. 1-2> is appeared and click the Next.




<Fig. 1-3>

4. Select the location of driver of FB200AS with click of **"Browse"** if the window like <Fig. 1-3> is appeared.



<Fig. 1-4>



<Fig. 1-5>

5. And click the "Next" if the location of FB200AS driver is selected.



<Fig. 1-6>



<Fig. 1-7>

6. Click the "Continue Anyway" if the Hardware Installation window like <Fig. 1-7> is appeared.



<Fig. 1-8>




&lt;Fig. 1-9&gt;

7. Click the **"Finish"** if the window like <Fig. 1-9> is appeared.




&lt;Fig. 1-10&gt;

8. Click the **"Yes, this time only"** if the window like <Fig. 1-10> is appeared after a moment.




<Fig. 1-11>

9. Select **"Install from a list or specific location (Advanced)"** if the window of <Fig. 1-11> is appeared and click the Next.




<Fig. 1-12>

10. Select the location of driver of FB200AS with click of **"Browse"** if the window like <Fig. 1-12> is appeared.




<Fig. 1-13>



<Fig. 1-14>

11. And click the **“Next”** if the location of FB200AS driver is selected.



<Fig. 1-15>



<Fig. 1-16>

12. Click the "Continue Anyway" if the Hardware Installation window like <Fig. 1-16> is appeared.




<Fig. 1-17>

13. Click the **"Finish"** if the window like <Fig. 1-17> is appeared and the installation of FB200AS Driver is finished.

## 2 FB200AS Driver installation checking


The method for checking the installation of FB200AS Driver installation is as follows.

1. Click [start] → [Control Panel]




<Fig. 2-1>

2. Double click the System if the control panel window like <Fig. 2-1> is appeared.



<Fig. 2-2>

3. Click the "Device Manager" on Hardware tab if the System Properties window like <Fig. 2-2> is appeared.



<Fig. 2-3>

4. It is installed normally if the Device Manager window is appeared and "Ports (COM & LPT)" tree is expanded and FB200AS Com port exists like <Fig. 2-3>.